







HIGH RESISTANCE MATTE FINNISHING

innovative application process of applying a high definition design with uv protection on an upgraded cork backing





PVC FREE



BIO DEGRADABLE



ANTI-ALLERGY



AUTHENTIC



WARM & COMFORTABLE



LOW UV FADING



LOW VO



ECO - FRIENDLY



SOUND REDUCTION





FLOATING FLOOR DESIGN

elegant floating floor Embossed Top Coating for residencial or commercial areas

Design Layer
Comfort Cork Backing

High-density fiberboard Cork granulate underlayment

Collections	Impact Sound Reduction	Dimensions (mm)	Bevel Available	
DESIGN	17dB	1200 x 210 x 10,5mm 612 x 440 x 10,5mm	X or X2	





GLUELESS INSTALLATION



OK RADIANT HEATING



EASY TO INSTALL









unique floor tiles



Design layer

Comfort Cork Backing

Collections	Impact Sound Reduction	Dimensions (mm)	Bevel Available
DESIGN	14dB	1200 x 210 x 4,8 mm 600 x 450 x 4,8 mm	X or X2



EXTRA WARMTH & COMFORT



WATER PROOF



EASY TO REPAIR



GLUE DOWN



OK RADIANT HEATING

UNICLIC CONTROL OF THE PROPERTY OF THE PROPERT







UNICLIC -









