



FLOOR COVERINGS

LUNGO COLLECTION 2019/20



www.wallmann.dk




corkart.pt

Feel inspired.

WELCOME

In order to respond to the challenges of today's world, we present a collection based on the quality and strength of the materials, used as well as in its modern design.

We hope that in our selection **you will find what you are missing, to your new space.**



INDEX

04	Welcome
06	Vinyl Concept
08	Lungo Collection
18	Bevel and Emboss Structures
19	The system
20	Thumbnails Preview
21	Technical information



Flooring with modern design & extraordinary features.



ANTI-SLIPPERY



ANTI-STATIC



RESISTANT



AUTHENTIC LOOK



PHTHALATE FREE



LOW VOC



Comfort & Resistance

•

Easy maintenance



LUNGO COLLECTION

REGULAR
WOOD
EMBOSS

9701<

Classe 33



1800 x 220

10,8 mm

4 sides micro bevel



Stylish, sophisticated and uncomplicated floors.

REGULAR
WOOD
EMBOSS

9704<

9701<

9704<



9701<



9704<



9736<



REGULAR
WOOD
EMBOSS

9736<

Unique designs in XL format!



9746<



REGULAR
WOOD
EMBOSS

9746<



9736<



9746<



REGULAR
WOOD
EMBOSS

9756<



9756<



A floor with personality and character.



Embossed texture matches the pattern for a realistic look.



A whole new level of style and sophistication.

9551<





9552<

Senses Collections for "all registered emboss designs"

9552<

9553<

A whole new level of style and sophistication.



9553<



9552<



9553<

Feel the grooves, lines & knots!

Bevel

4 MV - 4 sides micro




Emboss Structures

Regular Wood Emboss - Semi matte




Registered Emboss - Semi matte




The System

(F) FLOATING



Floating floor with a strong clic system.

Acoustic & thermal properties with a superior quality floating structure.



Ok Radiant Heating



Easy to Install



Sound Reduction



Extra Warmth & Comfort



LUNGO COLLECTION

2018/19

REGULAR WOOD EMOSS

REGISTERED WOOD EMOSS


Regular Wood Emboss | Semi-matte
CP9701<




Regular Wood Emboss | Semi-matte
CP9704<



Regular Wood Emboss | Semi-matte
CP9736<




Regular Wood Emboss | Semi-matte
CP9746<




Regular Wood Emboss | Semi-matte
CP9756<




Registered Emboss | Semi-matte
DL9550<




Registered Emboss | Semi-matte
DL9551<



Registered Emboss | Semi-matte
DL9552<



Registered Emboss | Semi-matte
DL9553<



FLOOR COVERINGS
VINYL CONCEPT



Technical information

FLOATING	LUNGO	
DIMENSIONS EN 427	1800 x 220 x 10,8mm	
IMPACT SOUND REDUCTION EN 140	18 dB	
EMBOSS / SURFACE	Regular Wood Emboss Semi-matte	Registered Emboss Semi-matte
CLASS EN 430	33	
WEIGHT EN 430	11 kg/m ²	
DIMENSIONAL STABILITY EN 430	0,10%	
FIRE RESISTANCE EN 131501	Bfl - S1	
CHEMICAL RESISTANCE EN 430	Class 0 - Good	
ABRASION WEAR EN 425	Pass Castor Chair (W)	
SLIPPERY RESISTANCE EN 13893	DS (R9 very secure)	
IDENTATION EN 433	Max 0,03mm	
ANTI-STATIC RESISTANCE EN 1815	< 2kV	
TOXICITY EN 71	Non Toxic	
RESISTANCE TO FADING ISO 105 B02	6/8 depending on design	
THERMAL RESISTANCE EN 12524	0,088 m ² K/W	
ABBB/DIBT LOW VOC (U-SIGN)	Certified	
UNDERFLOOR HEATING	Approved 27°C	



UNICLIC® The traditional glueless locking technology.